

**Notice of Allowability**

Application No.

09/742,431

Examiner

Lamson D Nguyen

Applicant(s)

KANEKO ET AL.

Art Unit

2861

-- The MAILING DATE of this communication appears on the cover sheet with the corresponding address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment dated 08/21/03 and 10/02/03.
2. ☒ The allowed claim(s) is/are 1-28.
3. ☒ The drawings filed on 22 December 2000 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |   |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)           |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                              |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance  |
|   | 9. <input type="checkbox"/> Other _____   |

## ***Reasons For Allowance***

The following is an examiner's statement of reasons for allowance:

- The primary reason for allowance for claims 1-15 and 24 is the limitation of the first ejection outlet array group and the second ejection outlet array group are disposed such that the first array and the third array are adjacent to each other and such that the ejection outlets of the first array and the third array are disposed with a deviation in a direction of arrangement of the ejection outlets so as to be complimentary to each other in the scanning direction and the first array and the second array are aligned in the scanning direction and are adjacent to each other. It is these limitations that are not found or taught by prior art either alone or in combination.
- The primary reason for allowance for claims 19-21 is the limitation of the first array and the second array are aligned in the scanning direction and are adjacent to each other and the corresponding ejection outlets in the third array and the fourth array are aligned in the scanning direction. It is these limitations that are not found or taught by prior art either alone or in combination.
- The primary reason for allowance for claims 22-25 is the limitation of the ejection outlets in the first array and the second array are aligned in the scanning direction and are adjacent to

Art Unit: 2861

each other. It is these limitations that are not found or taught by prior art either alone or in combination.

- The primary reason for allowance for claims 26-28 is the limitations of the ejection outlets of the first array are deviated relative to the outlets in the third array with respect to a direction in which said outlets are arranged, such that the outlets in the first array and the third array are complementary with each other and the first liquid supply opening and the third liquid supply opening supply the same liquid. It is these limitations that are not found or taught by prior art either alone or in combination.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lamson D Nguyen whose telephone number is 571-272-2259. The examiner can normally be reached on 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on 571-272-2149. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2861

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

\*\*\*



LAMSON NGUYEN  
PRIMARY EXAMINER  
06/10/09